



Biochar

Biochar as FEEDING CHAR

Biochar is considered as one of the oldest remedies for humans and animals and it is gaining increasing importance in modern agriculture, which is also the case with its application as feeding char and bedding.

We only apply pure hardwood and softwood from regional forests in producing our biochar. Due to the GMP+ standard, traceability of origin is guaranteed.

At a glance

First effects can already be observed after 1 to 4 weeks following the first application of biochar:

- Generally improved state of health and care
- Reduction of hoof and foot diseases
- Reduction of diarrhoeal diseases
- Increase in feeding efficiency
- Reduction of cell counts in milk
- Improvement of meat quality
- Increase in egg production and quality in poultry
- Improvement in stable hygiene and odor pollution

Recommendations for use and dosage

- 🕒 **Cattle:** 2–4 gram / kg feed
- 🕒 **Pig:** 2–4 gram / kg fed
- 🕒 **Poultry:** 0,5–1 gram / kg feed
- 🕒 **Horse:** 1 gram / kg feed
- 🕒 **Dog and Cat:** 1–2 gram / day

In case of an illness of the animal, the daily dosage can be raised by 50 % for a short time.

Carbonis GmbH & Co. KG
Petersfelder Straße 38 · 49681 Garrel
Tel. +49 (0) 4474 50 52 431
Fax +49 (0) 4474 50 52 433
info@carbonis.de · www.carbonis.de

